

## WEST Search History

[Hide Items](#)
[Restore](#)
[Clear](#)
[Cancel](#)

DATE: Friday, December 23, 2005

Hide?	<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>
		<i>DB=PGPB; PLUR=YES; OP=ADJ</i>	
<input type="checkbox"/>	L13	L12 and ((first near5 inode) same (ditto near5 address))	0
<input type="checkbox"/>	L12	L11 and ((true or real) same (disk near5 address\$2))	5
<input type="checkbox"/>	L11	L9 and (no near5 metadata)	5
<input type="checkbox"/>	L10	L9 and 'no metadata'	0
<input type="checkbox"/>	L9	L8 and (multiple near5 inode\$1)	5
<input type="checkbox"/>	L8	L7 and (data near5 block\$1)	5
<input type="checkbox"/>	L7	L6 and (command\$1 and dataset)	5
<input type="checkbox"/>	L6	L5 and ((disk near5 address) same (value\$1))	5
<input type="checkbox"/>	L5	L4 and creat\$3 and stor\$3	12
<input type="checkbox"/>	L4	((source near5 file\$1) and (snapshot\$1 or replicat\$3 or mirror\$3) and inode\$1).clm.	12
<input type="checkbox"/>	L3	(metadata and snapshot\$1 and disk and address\$2 and command\$1).clm.	0
<input type="checkbox"/>	L2	((file near5 system) and ((ditto or exact) near5 (address\$1)) and (data near5 block\$1) and (copy\$3 or transfer\$3) and (updat\$3 or modify\$3)).clm.	0
<input type="checkbox"/>	L1	(file and system and (snapshot or mirror\$3) and metadata and command\$1 and (modify\$3 or updat\$3 or add\$3) and inode\$1 and disk and address\$2 and (ditto or exact) and copy\$3 and stor\$3).clm.	0

END OF SEARCH HISTORY

## WEST Search History

DATE: Friday, December 23, 2005

Hide?	<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>
		<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>	
<input type="checkbox"/>	L128	L126 and l107	0
<input type="checkbox"/>	L127	(file near5 system\$1) and inode\$1 and (exact near5 address\$2) and (snapshot or replicat\$3 or mirror\$3) and (data near5 block\$1) and @py<=2002	0
<input type="checkbox"/>	L126	(file and system and (snapshot or mirror\$3) and metadata and command\$1 and (modify\$3 or updat\$3 or add\$3) and inode\$1 and disk and address\$2 and (ditto or exact) and copy\$3 and stor\$3) and @py<=2002	5
<input type="checkbox"/>	L125	L124 and inode	58
<input type="checkbox"/>	L124	L123 and (disk near5 address)	186
<input type="checkbox"/>	L123	L107 and metadata	2050
<input type="checkbox"/>	L122	6173293.uref.	12
<input type="checkbox"/>	L121	L120 and metadata	3
<input type="checkbox"/>	L120	L119 and (disk near5 address) and (disk near5 block\$1)	8
<input type="checkbox"/>	L119	L118 and stor\$3	16
<input type="checkbox"/>	L118	L117 and copy\$3	16
<input type="checkbox"/>	L117	(snapshot\$1 and inode and disk and address and modify\$3) and @py<=2002	16
<input type="checkbox"/>	L116	(snapshot or mirror\$) and (file near5 system) and metadata and dataset\$1 and command\$1 and (modify\$3 or delet\$3 or add\$3) and inode\$1 and disk and address\$1 and data and block\$1 and @py<=2002	2
<input type="checkbox"/>	L115	L114 and (invalid near5 address\$1)	0
<input type="checkbox"/>	L114	L113 and inode\$1	3
<input type="checkbox"/>	L113	L111 and ((compar\$3 or older) near5 (snapshot\$1))	9
<input type="checkbox"/>	L112	L111 and (compar\$3 near5 snapshot\$1)	3
<input type="checkbox"/>	L111	L110 and L107	35
<input type="checkbox"/>	L110	(delet\$3 near5 snapshot\$1).clm.	46
<input type="checkbox"/>	L109	(deleat\$3 near5 snapshot\$1).clm.	0
<input type="checkbox"/>	L108	L107 and ((snapshot\$1 or mirror\$3 or view\$1) and (file\$1 or record\$1) and (metadata or meta\$data) and (modify\$3 or updat\$3 or delet\$3 or add\$3) and (disk near5 address) and (inode\$1) and ((ditto or exact or indirect) near5 (address\$1))).clm.	1
<input type="checkbox"/>	L107	L106 or L105 or L104 or L103 or L102 or L101	28482
<input type="checkbox"/>	L106	(709/220  709/221  709/222  709/223  709/224  709/225).ccls.	11797
<input type="checkbox"/>	L105	(714/6).ccls.	1634

<input type="checkbox"/>	L104 (711/161  711/162).ccls.	1468
<input type="checkbox"/>	L103 (711/154  711/155  711/156).ccls.	2955
<input type="checkbox"/>	L102 (707/1  707/2).ccls.	6463
<input type="checkbox"/>	L101 (707/200  707/201  707/202  707/203  707/204  707/205).ccls. <i>DB=PGPB; PLUR=YES; OP=ADJ</i>	6081
<input type="checkbox"/>	L100 (707/200  707/201  707/202  707/203  707/204  707/205).ccls.	1902
<input type="checkbox"/>	L99 ((snapshot\$1 or mirror\$3 or view\$1) and (file\$1 or record\$1) and (metadata or meta\$data) and (modify\$3 or updat\$3 or delet\$3 or add\$3) and (disk near5 address) and (inode\$1) and ((ditto or exact or indirect) near5 (address\$1))).clm. <i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>	1
<input type="checkbox"/>	L98 L97 and metadata	10
<input type="checkbox"/>	L97 L96 and (multiple near5 inode\$1)	10
<input type="checkbox"/>	L96 (multiple near5 snapshot\$1) and (disk near5 address\$1)	25
<input type="checkbox"/>	L95 ((metadata) same (second near5 inode) and (transfer\$3 or copy\$3)) and snapshot\$1	11
<input type="checkbox"/>	L94 ((metadata) same (second near5 inode) and (transfer\$3 or copy\$3)) and @py<=2002	0
<input type="checkbox"/>	L93 L92 and (inode\$1 and metadata)	3
<input type="checkbox"/>	L92 5819292.uref.	73
<input type="checkbox"/>	L91 L90 and ((creat\$3 and stor\$3) and (portion or part) near5 (metadata or meta\$data))	7
<input type="checkbox"/>	L90 L89 and ((ditto or equal or indirect) near5 (address or location or pointer\$1))	24
<input type="checkbox"/>	L89 L88 and (disk near5 address)	36
<input type="checkbox"/>	L88 L87 and (copy\$3 or transfer\$3)	92
<input type="checkbox"/>	L87 L86 and (metadata or meta\$data)	93
<input type="checkbox"/>	L86 L85 and (file\$1 near5 inode\$1)	108
<input type="checkbox"/>	L85 L84 and snapshot\$1	2218
<input type="checkbox"/>	L84 L83 or L82 or L81	58259
<input type="checkbox"/>	L83 (714/6).ccls.	1634
<input type="checkbox"/>	L82 711/\$.ccls.	27877
<input type="checkbox"/>	L81 707/\$.ccls.	31191
<input type="checkbox"/>	L80 L79 and (file near5 system)	8
<input type="checkbox"/>	L79 ((disk near5 address\$1) and (indirect near5 address\$2) and (logical near5 address\$2) and (physical near5 address\$2) and (snapshot\$1 or mirror\$3))	11
<input type="checkbox"/>	L78 ((disk near5 address\$1) and (indirect near5 address\$2) and (logical near5 address\$2) and (physical near5 address\$2) and (snapshot\$1 or mirror\$3)).clm.	0
<input type="checkbox"/>	L77 (snapshot\$1 or mirror\$3 or instant\$4) and (dataset\$1 or value\$1) and (empty near5 data) and (empty near5 metadata)	8
<input type="checkbox"/>	L76 L75 and (dataset\$1 same inode\$1)	12
<input type="checkbox"/>	L75 (creat\$3) and (snapshot\$1) and (file near5 system)	3358

<input type="checkbox"/>	L74	(disk near5 address) and (snapshot or mirror\$3) and (metadata near5 modiy\$3)	0
<input type="checkbox"/>	L73	(disk near5 address) same (snapshot or mirror\$3) and (metadata near5 modiy\$3)	0
<input type="checkbox"/>	L72	L71 and command\$1	6
<input type="checkbox"/>	L71	L69 and (disk near5 address)	9
<input type="checkbox"/>	L70	L69 and (ditto near5 address)	0
<input type="checkbox"/>	L69	5764972.uref.	83
<input type="checkbox"/>	L68	6938039.uref.	0
<input type="checkbox"/>	L67	L66 and (disk near5 address)	2
<input type="checkbox"/>	L66	L65 and inode	9
<input type="checkbox"/>	L65	L64 and unix	74
<input type="checkbox"/>	L64	(network and file and system).ti.	1868
<input type="checkbox"/>	L63	L60 and (ditto near5 address)	0
<input type="checkbox"/>	L62	L60 and (copy\$3 near5 address)	0
<input type="checkbox"/>	L61	L60 and (exact near5 address)	0
<input type="checkbox"/>	L60	L59 and (data near5 block\$1)	8
<input type="checkbox"/>	L59	L58 and copy\$3	8
<input type="checkbox"/>	L58	L57 and (disk near5 address)	8
<input type="checkbox"/>	L57	((unix near5 system) and (file near5 system\$1) and (snapshot\$1) and (metadata)) and @py<=2002	59
<input type="checkbox"/>	L56	(snapshot\$1) and (disk near5 address\$1) and (inode\$1) and @py=2002	3
<input type="checkbox"/>	L55	L54 and (disk near5 address\$1)	8
<input type="checkbox"/>	L54	L53 and commands	13
<input type="checkbox"/>	L53	L50 and unix	18
<input type="checkbox"/>	L52	L50 and (disk near5 address) and @py=2002	0
<input type="checkbox"/>	L51	L50 and (metadata) and @py=2002	0
<input type="checkbox"/>	L50	(file\$1 and snapshot\$1).ti.	76
<input type="checkbox"/>	L49	L48 and unix	11
<input type="checkbox"/>	L48	L47 and (file near5 system\$1)	11
<input type="checkbox"/>	L47	L46 and (mirror\$3 or snapshot\$1)	11
<input type="checkbox"/>	L46	L45 and (copy\$3 or transfer\$3)	11
<input type="checkbox"/>	L45	L44 and command\$1	11
<input type="checkbox"/>	L44	L43 and inode	11
<input type="checkbox"/>	L43	L42 and metadata	11
<input type="checkbox"/>	L42	(ditto near5 address) and (disk near5 address)	12
<input type="checkbox"/>	L41	((ditto address) and (disk address) and (metadata)) and @py=2002	0
<input type="checkbox"/>	L40	((disk near5 address\$1) and (ditto near5 address\$2) and (inode) and (metadata)) and @py<=2001	0
<input type="checkbox"/>	L39	((disk near5 address\$1) and (ditto near5 address\$2) and (inode) and (metadata))	0

	and @py=2001	
<input type="checkbox"/>	L38 ((disk near5 address\$1) and (ditto near5 address\$2) and (inode) and (metadata)) and @py=2002	0
<input type="checkbox"/>	L37 L36 and (disk near5 address\$1)	10
<input type="checkbox"/>	L36 L35 and ((metadata) or (meta data))	16
<input type="checkbox"/>	L35 L33 and inodes	22
<input type="checkbox"/>	L34 L33 and inode	22
<input type="checkbox"/>	L33 (file\$1 and system\$1 and snapshot\$1).ti.	60
<input type="checkbox"/>	L32 (file\$1 and system\$1).ti.	22100
<input type="checkbox"/>	L31 6829617.pn.	2
<input type="checkbox"/>	L30 L29 and stor\$	11
<input type="checkbox"/>	L29 L28 and delet\$	12
<input type="checkbox"/>	L28 L27 and copy\$	12
<input type="checkbox"/>	L27 L26 and (data near5 block\$1)	13
<input type="checkbox"/>	L26 L25 and metadata	14
<input type="checkbox"/>	L25 L24 and snapshot\$1	20
<input type="checkbox"/>	L24 L23 and (file near5 system\$1)	64
<input type="checkbox"/>	L23 (disk near5 address) same (inode\$1)	68
<input type="checkbox"/>	L22 6604118.uref.	1
<input type="checkbox"/>	L21 6205450.uref.	13
<input type="checkbox"/>	L20 L18 and linux	0
<input type="checkbox"/>	L19 L18 and linux	0
<input type="checkbox"/>	L18 L17 and unix	25
<input type="checkbox"/>	L17 (disk near5 address) same (snapshot\$1)	56
<input type="checkbox"/>	L16 L15 and (multiple near5 inode\$1)	10
<input type="checkbox"/>	L15 L14 and stor\$	19
<input type="checkbox"/>	L14 L13 and copy\$	19
<input type="checkbox"/>	L13 L12 and (disk near5 address\$1)	19
<input type="checkbox"/>	L12 L11 and (updat\$ or modify\$)	54
<input type="checkbox"/>	L11 L9 and metadata	58
<input type="checkbox"/>	L10 L9 and metadaa	0
<input type="checkbox"/>	L9 snapshot\$1 same inode\$1	87
<input type="checkbox"/>	L8 L5 and snapshot\$	1
<input type="checkbox"/>	L7 L5 and (inode)	0
<input type="checkbox"/>	L6 L5 and (inode\$1)	0
<input type="checkbox"/>	L5 hp.as.	6178
<input type="checkbox"/>	L4 L3 and snapshot\$1	8
<input type="checkbox"/>	L3 L2 and (data near5 block\$1)	12

<input type="checkbox"/>	L2 (inode\$1).ti.	26
<input type="checkbox"/>	L1 (inode\$1 and datablock\$1).ti.	0

END OF SEARCH HISTORY